

**SUMMARY**  
**PROPOSED MAIN STREET OFFICE OVERLAY DISTRICT**  
**ORONO, ME**

1. Intent: To provide flexibility of use of residentially zoned properties by allowing office uses, while preserving the residential, historic, other significant architectural, and visual character of the corridor.
  
1. Coverage: Properties with street addresses on Main Street, between Juniper Street and Kelley Road, and that are zoned Medium Density Residential (MDR).
  
2. Classification of properties: 49 properties in this segment of Main Street have been classified as “Contributing Properties,” either because in 1977 they were identified as contributing to the Main Street Historic District or because in the Town’s 2016 survey of architecture in the corridor, they were identified as contributing significantly to an important style of architecture or the overall visual character of the corridor.
  
3. Permitted uses: Any use permitted in the MDR District; office uses not otherwise allowed in the MDR District; and combination of office and allowed residential uses. Office uses could not involve the demolition of a building or portion of a building on a Contributing Property.
  
4. Performance standards: Office uses are subject to limits on floor area (2,500 sq. ft.), curb cuts, parking, lot coverage, vegetative buffers, and signs.
  
5. Visual compatibility standards:
  - a. Renovations to principal and accessory buildings on Contributing Properties proposing office use would be subject to design standards consistent with the Design Guide prepared as part of the Main Street Office Overlay District project. The applicable design standards address primarily large-scale architectural features, such as roof lines, porches, balconies, entrances, size and spacing of windows, and cladding.
  
  - b. Additions to principal and accessory buildings on Contributing Properties proposing office use would be subject to standards addressing matters such as locations, height, roof lines and orientation, size and spacing of windows, and cladding material.
  
  - c. New construction on any property in the overlay district, whether or not it is a Contributing Property or involves an office use, would be subject to similar standards.
  
  - d. All properties receiving permits for office use would be subject to certain property maintenance standards.
  
6. Planning Board review: Proposed office uses would be subject to Planning Board review.

**PROPOSED AMENDMENT TO LAND USE ORDINANCE  
ESTABLISHING THE MAIN STREET OFFICE OVERLAY DISTRICT**

**The Orono Land Use Ordinance is hereby amended by adding a new Section 18-112. Maine Street Office Overlay District, as follows:**

**Sec. 18-112. Main Street Office Overlay District**

(a) *Intent:* The purpose of the Main Street Office Overlay District is to create the land use and economic conditions that will simultaneously maintain a safe, attractive environment in which residents have the peaceable enjoyment of their homes, and provide the incentive and means to invest in and maintain the significant architectural and other important elements that create a visually appealing Main Street.

(b) *Location:* The Main Street Office Overlay District shall extend either side along Main Street to the extent delineated on the Zoning Map of Orono, Maine, with a depth of 300 feet from the Main Street right-of-way boundary line, provided that it shall apply only to lots that have their street addresses along the delineated segment of Main Street, as listed in the Town Assessor’s book of real estate accounts as of [THE DATE OF ADOPTION OF THIS ORDINANCE], and that are zoned Medium Density Residential (MDR).

(c) *Classification of properties:* For the purpose of this section, a “Contributing Property” is a property located within the Main Street Office Overlay District with a building existing as of [THE DATE OF ADOPTION OF THIS ORDINANCE] that was (i) identified in the establishment of the Main Street Historic District in 1977, which district is listed on the National Register of Historic Places, as contributing to the historic significance of the district; or (ii) that was identified in the “Main Street Corridor Reconnaissance Survey, Juniper Street to Kelley Road,” prepared by Malcolm L. Collins, AIA, for the Town of Orono in 2016 and on file in the Town of Orono Code Enforcement Office, as not having been identified in the establishment of the Main Street Historic District in 1977 but, from the vantage point at the time of the Reconnaissance Survey is considered a contributing building, either in terms of architectural style or integrity or the overall character of the Main Street corridor.

Properties classified as “contributing properties” are listed by street address and Assessor’s Tax Map and Lot Number in the following table:

<b>Contributing Properties, Main Street Office Overlay District</b>			
<b>Street Address</b>	<b>Tax Map/Lot No.</b>	<b>Street Address</b>	<b>Tax Map/Lot No.</b>
92 Main Street	27-2/149	203 Main Street	27-3/111
100 Main Street	27-2/150	210 Main Street	27-4/13
105 Main Street	27-2/10	212 Main Street	27-4/14

REFERRED TO PLANNING BOARD FOR PUBLIC HEARING ON MAY 17, 2017

109 Main Street	27-2/19	214 Main Street	27-3/125
114 Main Street	27-2/153	218 Main Street	27-3/126
115 Main Street	27-2/8	225 Main Street	27-3/44
120 Main Street	27-2/154	235 Main Street	31-1/52
123 Main Street	27-2/2	237 Main Street	31-1/51
124 Main Street	27-2/155	241 Main Street	31-1/50
129 Main Street	27-2/1	264 Main Street	31-1/58
133 Main Street	27-4/23	265 Main Street	31-1/36
139 Main Street	27-4/22	269 Main Street	31-1/35
143 Main Street	27-4/21	279 Main Street	31-1/17
149 Main Street	27-4/20	283 Main Street	31-1/16
158 Main Street	27-4/60	287 Main Street	31-1/15
166 Main Street	27-4/62	288 Main Street	31-1/59
169 Main Street	27-4/16	292 Main Street	31-1/60
172 Main Street	27-4/63	295 Main Street	31-1/4
175 Main Street	27-4/15	296 Main Street	31-1/61
178 Main Street	27-4/65	297 Main Street	31-1/2
180 Main Street	27-4/66	300 Main Street	31-1/63
184 Main Street	27-4/67	305 Main Street	31-3/21
188 Main Street	27-4/11	330 Main Street	31-3/22
190 Main Street	27-4/12	344 Main Street	31-3/26
193 Main Street	27-3/112		

1  
2  
3  
4  
5

(d) *Permitted uses:* The following uses are permitted on any property in the Main Street Office Overlay district, regardless of classification of the property:

(1) Any use allowed in the Medium Density Residential District, according to the

1 schedule of uses set forth in section 18-106(e) with the permits as indicated in that  
2 section.

3  
4 (2) Offices, which for the purposes of this section includes medical offices, not  
5 otherwise allowed in the Medium Density Residential District, with Planning Board  
6 review and approval following a public hearing noticed in the manner set forth in  
7 section 18-84 (Hearing procedure for appeals and applications); and provided that, if the  
8 office use is on a Contributing Property, it does not involve the demolition of any  
9 building or portion of building that contributed to the property's designation as a  
10 Contributing Property unless such demolition is required as a result of destruction by  
11 fire, natural disaster, or is ordered by the Code Enforcement Officer to maintain public  
12 safety as the result of a dangerous condition.

13  
14 (3) Any use allowed in the Medium Density Residential District in combination with an  
15 office use, provided that the minimum lot size and yard requirements set forth in  
16 paragraph (e) below and all other applicable rules and regulations are met.

17  
18 (e) *Minimum dimensional requirements in the Main Street Office Overlay District:*

19  
20 (1) The minimum dimensional requirements for lots in the Main Street Office Overlay  
21 District shall be the same as for the Medium Density Residential District, as set forth  
22 in the schedule of dimensional requirements in section 18-106(f) of this ordinance,  
23 except as specified in this subsection.

24  
25 (2) If an office use or uses and one dwelling unit are located together on a lot, the  
26 minimum lot area shall be the same as for a lot with a single dwelling unit. A second  
27 dwelling unit, as allowed in the Medium Density Residential District, shall comply  
28 with the additional minimum lot area per family requirement in the Medium Density  
29 Residential District.

30  
31 (3) If a lot is legally nonconforming as to one or more dimensional requirements of the  
32 Medium Density Residential District as of the date of adoption of the Main Street  
33 Office Overlay District:

- 34  
35 (i) It may be used for an office use alone, or  
36 (ii) It may be used for an office use in combination with an existing single-family  
37 dwelling, and the office use may be either within the dwelling or within a  
38 structure accessory to the single-family dwelling, or  
39 (iii) If the dwelling contains two dwelling units and is nonconforming as to  
40 minimum lot area per family, an office use may be included only if it replaces  
41 one of the dwelling units.

42  
43 (4) If the dwelling contains more than two dwellings and therefore is a nonconforming  
44 use within the Medium Density Residential District, an office use may be included  
45 only if it replaces one of the dwelling units. If the office use is subsequently

1 terminated, the replaced dwelling unit may be resumed and will retain its legally  
2 nonconforming status.

3  
4 (5) Regardless of existing or future use, the frontage of any lot existing as of the date of  
5 adoption of this ordinance with less than 125 feet of frontage along Main Street  
6 shall not be reduced; the frontage of any lot existing as of the date of adoption of  
7 this ordinance with more than 125 feet of frontage along Main Street shall not be  
8 reduced to less than 125 feet; and no new lot shall be created with less than 125  
9 feet of frontage along Main Street.

10  
11 (f) *Performance standards in the Main Street Office Overlay District.* An office use or  
12 uses shall:

13  
14 (i) Occupy no more than a total of 2,500 square feet of floor area;

15  
16 (ii) Not add to the number of curb cuts onto Main Street and otherwise shall comply  
17 with the curb-cut standards for single-family or two-family dwellings as set forth in  
18 section 18-127 of this ordinance, unless the Planning Board finds that an additional  
19 curb cut is required for public safety, will not unduly interfere with the flow of traffic  
20 on Main Street or the safety of pedestrians, and no reasonable alternative exists;

21  
22 (iii) Locate all on-site parking for the office use to the rear or side of the building;  
23 and further, exclusive of driveway, locate no parking serving any use, residential or  
24 non-residential, within ten feet of a public street right-of-way boundary line or  
25 between the paved portion of the street and the principal structure itself, as  
26 prescribed in Sec. 18-135, Off-street parking and loading, of this ordinance;

27  
28 (iv) Maintain a vegetated buffer equal to the minimum side or rear yard setback  
29 required in the Medium Density Residential District between any on-site parking  
30 area and adjacent properties, in compliance with the screening provisions of section  
31 18-126(2);

32  
33 (v) Be on a site with a lot coverage as defined in this ordinance of no more than 40  
34 percent, and, with any expansion of structures or parking area will continue to have  
35 a lot coverage of no more than 40 percent; and

36  
37 (vi) Have no more than one sign with a maximum area of eight square feet,  
38 provided that a building with more than one office use may in addition have a  
39 directory sign of no more than six square feet located on or adjacent to the primary  
40 entrance to the building; and provided further that signs otherwise comply with the  
41 requirements of section 18-140 for signs in residential districts.

42  
43 (g) *Visual compatibility standards in the Main Street Office Overlay District.*

44  
45 (1) Applicability.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45

(i) The visual compatibility standards shall apply to:

1. Renovations and additions: Renovations of or additions to a Contributing Property’s principal or accessory buildings, but only if a person with right, title or interest in the property, after having made proper application to the Planning Board, receives a permit for an office use not otherwise allowed in the Medium Density Residential District.
2. Construction of new principal or accessory buildings: Construction of a new principal or accessory building on any lot in the Main Street Office Overlay District, whether or not it is a Contributing Property and whether or not an office use is proposed for or exists on the lot.
3. Property maintenance: On any lot within the Main Street Office Overlay District, whether or not it is a Contributing Property, but only if a person with right, title or interest in the property, after having made proper application to the Planning Board, receives a permit for an office use not otherwise allowed in the Medium Density Residential District.

(ii) If, after [INSERT EFFECTIVE DATE OF THIS ORDINANCE] a property is altered in a manner that does not conform to the applicable visual compatibility standards, the current or successor person with right, title or interest in the property may not subsequently apply for or receive a permit for an office use other than one allowed within the Medium Density Residential District unless the application includes a plan to restore the altered architectural feature in a manner that conforms to the applicable standards. Such restoration shall be substantially completed before the property is occupied by an office use.

(iii) The visual compatibility standards shall apply to the sides of a structure that are wholly or partially visible from a public street.

(iv) Nothing in this subsection (g) shall be construed to prevent the ordinary maintenance or repair of any exterior feature of a structure that does not involve a change in the design, material or exterior appearance of a structure.

(v) Nothing in this subsection (g) shall prevent the construction, reconstruction, alteration, restoration or demolition of any feature that the Code Enforcement Officer shall certify to the permit-issuing authority is required to maintain public safety because of an unsafe or dangerous condition; or that is required to comply with Federal and State regulations relating to accommodating persons with disabilities; and that, if contrary to the visual compatibility standards of this subsection, is the minimum needed to satisfy the condition or regulation and no practicable alternative to the proposed construction, reconstruction, alteration, be restoration or demolition exists.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44

(2) Standards

(i) Principal buildings – Renovations: The renovation of a principal building on a Contributing Property shall not remove or alter the roof lines or roof forms, including dormers; or remove or alter chimneys; or remove or alter the size or location porches, balconies or entrances including porticoes and vestibules; change or alter pediments; change the sizes of window openings or the spacing of window openings; or change the cladding of the building except in a manner consistent with the architectural style of the building, as referenced in the Design Guidelines. If such a feature of one of these building elements is replaced, the new item or material shall visually match, as closely as possible, the item or material being replaced in composition, design, and dimensions. “As closely as possible” means the material or item is available commercially from an area or other readily accessible source without the necessity of customized millwork or similar specialized construction.

(ii) Principal buildings - Additions: An addition to a building on a Contributing Property preferably will not mimic the historical architectural style of the building, as identified in the Design Guide, so as to lose the historic identify of the main building, but will be compatible with it, as follows:

1. The addition shall be located to the side or rear of the building so as not to interfere with or interrupt the existing building’s façade.
2. The addition shall be no higher and have no more stories than the existing building; and the addition’s foundation shall match as closely as possible the height of the existing building.
3. The footprint of the addition shall be smaller than the footprint of the existing building.
4. The roof shape, pitch and orientation of the addition shall be the same as those of the principal building, or, if this is not practicable, as close as possible to those of the principal building. Dormers shall be in character with the architectural style of building and in proportion to the area of the roof in which they will be placed.
5. The spacing of windows and doors and the sizes of window and door openings in the addition shall be consistent with those of the existing building.
6. The material of an addition’s cladding may be different than that of the principal building but shall be visually similar; and the color of the addition’s cladding shall be in the same range or value as the existing building’s cladding.

1 (iii) Principal buildings - New construction: For the purpose of this paragraph (iii),  
2 "proximate" means within 300 feet along Main Street.  
3

4 1. Orientation: The front face of the building shall be oriented parallel to the  
5 street or as close to parallel as conditions allow, with the primary entrance on  
6 this façade.  
7

8 2. First floor height: The height of the building's first floor shall be  
9 approximately the same or approximately the average as that of proximate  
10 buildings to which it is visually related.  
11

12 3. Roof form: The roof form, roof lines and pitches shall be consistent with one  
13 or more of the proximate buildings to which the new building is visually related.  
14

15 4. Windows and doors: The spacing of windows and doors and the sizes of  
16 window and door openings shall be consistent with that of one or more  
17 proximate buildings to which the new building is visually related.  
18

19 (iv) Accessory buildings - Additions and new construction: For the purpose of this  
20 paragraph (iv), "proximate" means within 300 feet along Main Street.  
21

22 1. The accessory building shall not be taller than the principal building on the lot,  
23 and the footprint of the accessory building shall have a smaller area than the  
24 footprint of the principal building.  
25

26 2. The accessory building's roof forms and roof lines, cladding, and window  
27 shape and sizes shall be of a character similar to the principal building and other  
28 proximate buildings to which the accessory building is visually related.  
29

30 (v) In determining compliance with the standards in paragraphs (2)(i) through (2)(iv)  
31 of this section, the enforcement authority shall be guided, although not bound,  
32 by the manual, "Main Street Overlay District Design Guidelines," dated [INSERT  
33 DATE], prepared by Malcolm L. Collins, AIA, for the Town of Orono (hereinafter  
34 "Design Guidelines"), and which is incorporated by reference into this ordinance.  
35

36 (vi) Property maintenance: In addition to the minimum standards set forth in  
37 Division 3, Minimum Standards, within Chapter 8, Buildings and Building  
38 Regulations, Article III, Housing Code, of the Town of Orono Code of Ordinances,  
39 any property in the Main Street Overlay District with an office use approved  
40 pursuant to this Section 18-112 shall maintain the exterior property and  
41 premises, including accessory buildings, visible from a public street as follows:  
42

43 1. Protective treatment: Exterior surfaces, including but not limited to doors,  
44 door and window frames, cornices, porches, trim, balconies, decks and



- 1 fences, shall be maintained in good condition. Exterior wood surfaces,  
2 other than decay-resistant woods, shall be protected from the elements and  
3 decay by painting or other protective covering and treatment. Siding and  
4 masonry joints, as well as those between the building envelope and the  
5 perimeter of windows, doors, and skylights shall be maintained weather  
6 resistant and water tight. Metal surfaces subject to rust or corrosion shall  
7 be coated to inhibit such rust and corrosion, and surfaces with rust or  
8 corrosion shall be stabilized and coated to inhibit future rust and corrosion.  
9
- 10 2. Foundation walls: Foundation walls shall be maintained plumb and free  
11 from open cracks and breaks and shall be kept in such condition so as to  
12 prevent the entry of rodents and other pests.  
13
- 14 3. Exterior walls: Exterior walls shall be free from holes, breaks, and loose or  
15 rotting materials and shall be maintained weatherproof and properly  
16 surface coated where required to prevent deterioration.  
17
- 18 4. Roofs and drainage: The roof and flashing shall be sound, tight and not have  
19 defects that admit rain. Roof drains, gutter and downspouts shall be  
20 maintained in good repair and free from obstructions.  
21
- 22 5. Decorative features: Cornices, pediments, moldings, wall facings, trim and  
23 similar decorative features shall be maintained in good repair with proper  
24 anchorage and in a safe condition.  
25
- 26 6. Overhang extensions: Overhang extensions, including but not limited to,  
27 canopies, porticoes, awnings, fire escapes, and exhaust ducts, shall be  
28 maintained in good repair and be properly anchored so as to be kept in a  
29 sound condition.  
30
- 31 7. Stairways, decks, porches, and balconies: Every exterior stairway, deck,  
32 porch and balcony, and all appurtenances attached thereto, shall be  
33 maintained structurally sound, in good repair, with proper anchorage and  
34 capable of supporting the imposed loads.  
35
- 36 8. Chimneys: Chimneys and similar appurtenances shall be maintained  
37 structurally safe and sound and in good repair.  
38
- 39 9. Handrails and guards: Handrails and guards shall be firmly fastened and  
40 capable of supporting normally imposed loads and shall be maintained in  
41 good condition.  
42
- 43 10. Windows and doors: Every window, door and frame shall be kept in sound  
44 condition, good repair, and weather tight. Glazing materials shall be

1 maintained free from cracks and holes.  
2

3 11. Yards: Yards, including lawns, trees, hedges, shrubs, gardens and buffer  
4 areas, shall be maintained in a condition consistent with a landscape plan  
5 submitted and approved by the Planning Board at the time of Planning  
6 Board review of the proposed office use.  
7

8 (h) *Permit-issuing authority:*  
9

10 (1) Plans for a proposed office use, including any associated building or site renovations,  
11 alterations, removals, replacements, additions, or new construction of any principal or  
12 accessory building, shall be submitted to the Planning Board, utilizing the same  
13 procedures as for Site Plan Review and application forms provided for this purpose, for  
14 review of compliance with the use, dimensional, and applicable visual compatibility  
15 standards of the Main Street Office Overlay District. The application shall include  
16 photographs of the existing condition of each side of the building wholly or partially  
17 visible from a public street and elevations drawn to scale that show any proposed  
18 renovations, alterations, removals, replacements, additions or new construction. The  
19 Planning Board may approve, approve with conditions, or deny the application based on  
20 review of the standards. The Planning Board may request an evaluation of the  
21 application by a qualified architect or architectural historian for compliance with the  
22 visual compatibility standards, with the cost of such review added to the application fee  
23 for the project. Upon approval by the Planning Board, application shall be made to the  
24 Code Enforcement Officer for any relevant permits.  
25

26 (2) Appeals of decisions of the Code Enforcement Officer shall be taken to the Board of  
27 Appeals in accord with the procedures prescribed in Section 18-83 of this ordinance for  
28 administrative appeals. Appeals of decisions of the Planning Board shall be taken to  
29 Superior Court within 45 days from the date the decision is rendered by the Planning  
30 Board.  
31

32 (3) Nothing herein replaces any requirement for applications, reviews, and permits  
33 normally required under the Land Use Ordinance or other applicable codes and  
34 ordinances.  
35  
36  
37